IIBEC Building Enclosure Symposium Article Formatting Instructions

ABSTRACT

A proceedings containing articles presented at this conference will be produced from the manuscripts received from authors. Length should not exceed 200 words. The abstract should present a concise statement of the scope, principal findings, and conclusions of the paper.

ARTICLE LENGTH

For the 2023 Building Enclosure Symposium, the paper length should be no more than 2500 words (exclusive of abstract, author bios, and captions), and should contain no more than 5 figures. Figures include photos, illustrations, or graphics, but not tables. Only articles that are peer-reviewed and presented will be included in the BES conference proceedings—no abstract-only submissions nor standalone PowerPoint presentations.

COPYRIGHT TRANSFER

IIBEC retains the copyright to all articles in a published proceedings. The articles may not be published in other outlets without the express permission of IIBEC. You will be required to sign a copyright agreement in order to finalize your submission.

FORMAT

Point size and font. Use 12 point Times type for text, captions, and author contact information. *Italics*, **bold**, and *bold italics* may be used.

Layout. Single-spaced throughout and should be included in this order:

- o Title
- \circ Author(s)
- o Abstract
- Body of Article
- Conclusions
- References

Margin settings (includes graphics). See Table 1 for suggested margin settings.

Margins	<i>Letter</i> (8.5 x 11 in.)	A4 (210 x 297 mm)
Top, first page only	1.50 in.	51 mm
Тор	1.00 in.	34 mm
Bottom	1.00 in.	34 mm
Left	1.38 in.	32 mm
Right	1.38 in.	32 mm

Table 1. Margin Settings.

Figures and tables. All figures and tables *must* fit within the above margin settings. All figures and tables should be understandable when printed in black and white. Do not use only color as a distinguishing feature. Use symbols or patterns on line and bar graphs to identify lines and columns. Landscape orientation is acceptable.

Figure titles go below each figure. Table titles go above each table. Number figures and tables consecutively. An attestation related to the ownership of all figures will be required in order to finalize your submission.

Equations. Equations must be embedded in the text and numbered when they are referred to more than once.

Author bios. No more than 100 words. After a name, credentials should be in the following order: IIBEC credentials (e.g., RRO, RRC), degrees (PhD only), licenses, other professional credentials (e.g., LEED AP, CDT), and fellowships. The prefix *Dr*. is not to be listed unless it notes a medical license. Periods do not appear in abbreviations of academic degrees.

References. IIBEC's reference style is based on the style on the *Chicago Manual of Style*. Instead of using the author-date system, however, we number the references. When citing references within the text, use superscript numerals.

References not cited in the body of the text should not be listed. This means that documents should not include categories such as additional references or suggested references.

The References section at the end of a paper should list references in the order in which they appear in the text (not alphabetically). Along this vein, citations should appear in the text in numerical order. For example, an author may cite references 1, 2, 3, and 4 in the text but should not jump to citing reference 7 after reference 4. That reference should be cited as reference 5. It is acceptable, however, for an author to cite a previous reference that is out of order. For example, an author might already have cited references 1 through 13 and then repeat citation 7 before citing reference 14 later in the text.

If a specific publication is cited in a sentence, the citation appears directly after the name of the publication, the author(s) name(s), the mention of the survey or research report, etc. If there is no direct reference to these items, the citation goes at the end of the sentence.

Citations follow punctuation, except for a dash. There is no space after the comma(s) that separate multiple references. En dash is used for a series of citations.

PERMISSIONS

The **author** is responsible for obtaining permissions to run any figure, photograph, or table that is not the original work of the author, and for providing any required permission/attribution language from the original publisher/source.

APPROVALS

It is the author's responsibility to obtain all necessary approvals from the author's employer prior to submission of the paper. Once a paper has been uploaded, reviewed by the author, and finalized for publication, it is not possible to edit the document.

REFERENCES

- ASCE (2014). *Minimum Design Loads for Buildings and Other Structures,* Standard ASCE/SEI 7-10. Third printing. American Society of Civil Engineers (ASCE), Reston, VA.
- Burka, L. P. (1993). "A hypertext history of multi-user dimensions." *MUD history*, <<u>http://www.ccs.neu.edu</u>> (Dec. 5, 2013).
- Committee on Curtain Wall Systems (2014). *Curtain Wall Systems: A Primer*, ASCE Manuals and Reports on Engineering Practice No. 126. Memari, Ali M., ed. ASCE, Reston, VA.
- Dhillon, G. S., Surinder K., Ajila C.M., Brar, S. K., Verma, M., Tyagi, R.D., and Surampalli, R. Y. (2013). "Greenhouse Gas Contribution on Climate Change." Chapter 3 in *Climate Change Modeling, Mitigation, and Adaptation,* Rao Y. Surampalli, Tian C. Zhang, C.S.P. Ojha, B. Gurjar, R.D. Tyagi, and S.M. Kao, eds. ASCE, Reston, VA, 26-61.
- Garrett, D. L. (2003). "Coupled analysis of floating production systems." *Proc., Int. Symp. on Deep Mooring Systems,* ASCE, Reston, VA, 152-167.
- Singh, V. P. (2014). *Entropy Theory in Hydraulic Engineering: An Introduction*. ASCE Press. ASCE, Reston, VA.
- Stahl, D. C., Wolfe, R. W., and Begel, M. (2004). "Improved analysis of timber rivet connections." *J. Struct. Eng.*, 130(8), 1272-1279.
- Zhou, H. and Attard, T. (2014). "Simplified Anisotropic Plasticity Model for Analyzing the Postyield Behavior of Cold-Formed Sheet-Metal Shear Panel Structures." J. Struct. Eng., 10.1061/(ASCE)ST.1943-541X.0001152, 04014185.